Control #: D4-100N-0024

FACILITY STATUS CHANGE FORM

	e atti	r	T			
Date Su	ubmitted:	Area:	Control #:			
1/14/201	3	100-N	D4-100N-0024			
Origina	itor:	Facility ID:				
David V	Varren	108-N Chemical Unloading Facility				
Phone:		Action Memorandum:				
	539-6040 100-N Ancillary Facilities					
		ong the parties listed below on the sta oil in accordance with the applicable i				
Section	1: Facility Status					
\boxtimes	All D4 operations required by a	action memo complete.				
	D4 operations required by action	on memo partially complete, remaining o	perations deferred.			
Descrir	otion of Completed Activities a	and Current Conditions:				
The 108		was comprised of a railcar unloading sta	tion, three acid storage tanks, one			
Deactiv	ation: If required, utility isolation	was performed at each facility prior to be	eginning deactivation.			
demoliti bipheny	ion: batteries, light bulbs, oils, g	: If present, the following hazardous main rease, asbestos-containing material, men and waste disposition was performed in ilities, DOE/RL-2002-70.	cury, refrigerant, and polychlorinated			
The about the railout building Facility	ove grade portion of the pump but car unloading station were demo g. After being stockpiled and red (ERDF), where it was disposed.	were removed from the 108-N Chemical uilding was demolished by May of 2006. Iished by December of 2008 along with the uced in size, waste was transported to the Based on historical presence of radiolog performed under radiological controls.	The above and below grade portions of the below grade portion of the pump the Environmental Restoration Disposal			
Descrip N/A	otion of Deferral (as applicable	·):				
Section	2: Underlying Soil Status No waste site(s) present. No a	additional actions anticipated.				
	Documented waste site(s) pres	sent. Cleanup and closeout to be addres	sed under Record of Decision.			
		d during D4 operations. Waste site identi				
		dressed under Record of Decision.	·			
Descrir	otion of Current/As-Left Condi	tions:				
The 108 Position underwork radiolog The res	The 108-N Chemical Unloading Facility was demolished and disposed of at the ERDF. A post-demolition Global Positioning System (GPS) civil survey was performed to document the extent of the excavation. The excavation underwent two Global Positioning Environmental Radiological Surveyor (GPERS) surveys, neither of which identified radiological contamination. The excavation has been backfilled with clean soil from the 100-N Borrow Pit. The results of the GPERS surveys are shown in Attachment 3 and the results of the GPS civil survey are shown in Attachment 4.					

WCH-EE-297 (12/11/2007) Page 1 of 2

FACILITY STATUS CHANGE FORM

Identification of Documented Waste Site(s) or Nature of Potential Waste Site Discovery (as applicable):

There were two Waste Information Data System (WIDS) sites present within the 108-N excavation footprint: WIDS site 120-N-7 and WIDS subsite 100-N-103:1. WIDS site 120-N-7 consists of the 108-N Chemical Unloading Facility French Drain and the underlying soil and is located at the previous location of the railcar unloading station. The site's French drain was demolished/removed in December of 2008.

WIDS subsite 100-N-103:1 is comprised of multiple French drains and the underlying soils. One of these French drains, FD-1, was associated with the 108-N Chemical Unloading Facility and was located immediately north of the previous location of the pump building. This French drain was demolished in December of 2008.

The soils underlying 120-N-7 and 100-N-103:1 underwent verification sampling. However, the analytical results of both verification sampling efforts indicated that additional remediation would be necessary. The Field Remediation (FR) Organization will perform the requisite additional remediation and the subsequent verification sampling at these two locations. As FD-1 (100-N-103:1 French Drain #1) is collocated with WIDS subsite 100-N-84:6, it will be remediated and subsequently closed out as part of the 100-N-84:6 subsite.

The Sampling Determination Form (Attachment 5) is part of a process implemented by the *Removal Action Work Plan for 100-N Area Ancillary Facilities*, DOE/RL-2002-70, Revision 3. The Sampling Determination Form (SDF) for the 108-N Chemical Unloading Facility (SDF-100N-003) represents a regulatory agreement between DOE and the Lead Regulator (Ecology), and required sampling to be performed for verification of soils adjacent the 108-N facility. Sampling was performed by the Washington Closure Hanford D4 organization and the results indicated results above the RAGS. The sampling location is in the vicinity of FD-1, part WIDS subsite 100-N-103:1, which lies within the Ecology approved remediation design for 100-N-84:6. As FD-1 is collocated with WIDS subsite 100-N-84:6, it will be remediated and subsequently closed out as part of the 100-N-84:6 subsite. Further action will not be required by the D4 organization to demonstrate that cleanup criteria have been met for the 108-N Chemical Unloading Facility.

Section 3: List of Attachments	
1. Facility Information	
2. Photographs	
3. Global Positioning Environmental Radiological Surveyor (GPERS) Surveys	
4. GPS Civil Surveys	
5. Sampling Determination form for the 108-N Chemical Unloading Facility (SDF-100N-003	3)
FOR THE STATE OF T	1/16/23
DOE-RL	Date
Mino M. Menand	2/28/13
Lead Regulator	Date

DISTRIBUTION:

EPA: Dennis Faulk, B1-46 Ecology: Wanda Elliott, H0-57 DOE: Rudy Guercia, A3-04

Document Control, H0-30

Administrative Record, H6-08 (100-NR-1OU)

SIS Coordinator: Benjamin Cowin, H4-22

D4 EPL: Dave Warren, X9-08

Sample Design/Cleanup Verification: Theresa Howell, H4-22

FR Engineering: Rich Carlson, N3-30 FR EPL: Dan Saueressig, N3-30

Attachment 1: Facility Information (10 pages)

Facility Information

Introduction

This document provides information regarding the history, characterization, and final status at the completion of deactivation, decontamination, decommissioning, and demolition activities of the 108-N Chemical Unloading Facility, formerly located at the 100-N Area.

Site Information

The 108-N Chemical Unloading Facility consisted of a railcar unloading station, three acid storage tanks, one caustic storage tank, a pneumatic transfer tank, and a 27 ft by 30 ft concrete pump building that had a tar and gravel concrete roof and a poured concrete foundation. The facility received, stored, and transferred caustic and acid liquid that was delivered in rail cars and trucks. A map of the 108-N Chemical Unloading Facility is included in Figure 1. Photographs are included in Attachment 2.

Acid and caustic liquids were transported from the 108-N facility to the 163-N Demineralized Water Plant through underground pipelines contained within the 108-N/163-N Transfer Line and Neutralization Pit, which has been classified as Waste Information Data System (WIDS) site 120-N-5. This WIDS site was a 720 foot long trench that originally had a concrete bottom, concrete walls, and a metal plate cover. The concrete was corroded during a major spill within the trench and was subsequently replaced with new polymer-lined concrete. The trench contained a neutralization pit that was used to collect acid and caustic liquids that had spilled within the trench. Collected liquids were neutralized and then discharged to the nearby Columbia River.

158N 163N WIDS Site 120-N-5 183N 120-N-5 Neutralization Pit s System Septic_iSystem 183NA Railcar Unloading Station Caustic Storage Tank 183NB **Pump Building Acid Storage Tanks** 183ND M0348 1137N oundation

Figure 1: Location of the 108-N Chemical Unloading Facility

108-N Chemical Unloading Facility Completion

NOTE: The 108-N/163-N Transfer Line and Neutralization Pit was not part of the 108-N Chemical Unloading Facility. However, it was connected to, and associated with, the facility. Accordingly, information pertaining to the 108-N/163-N Transfer Line and Neutralization Pit is provided below to supplement 108-N Chemical Unloading Facility information.

Radiological and Industrial Hygiene Scoping Surveys

No radiological scoping or industrial hygiene baseline survey was performed at the 108-N Chemical Unloading Facility or the 108-N/163-N Transfer Line and Neutralization Pit.

Post-Demolition Radiological Surveys

Radiological contamination was not detected during the final work progress down-posting survey performed at the 108-N footprint in January of 2009. This survey is summarized in Table 1 below.

Global Positioning Environmental Radiological Surveyor (GPERS) surveys were performed at the 108-N Chemical Unloading Facility and a portion of the 108-N/163-N Transfer Line and Neutralization Pit. The 108-N GPERS surveys were performed in January of 2009. The 108-N/163-N Transfer Line and Neutralization Pit GPERS surveys were performed in February and November of 2008. These surveys did not detect radiological contamination. The GPERS surveys are included in Attachment 3 and are summarized in Table 1 below.

Table 1: Summary of Post-Demolition Radiological Surveys

Type	Quantity	Method Detection Limits	Results
Work Progress Down-Posting Radiological Surveys	1 Survey	Beta-gamma – 1,000 removable/ 5,000 fixed ^a Alpha – 20 removable/ 500 fixed ^a	All results were below method detection limits.
GPERS Surveys	6 Surveys	N/A	A total of 14,657 data points were taken at the 108-N facility and the 108-N/163-N Transfer Line and Neutralization Pit. All results were less than 2 times the background count. It should be noted that readings from this location that are under 2 times the background count are considered to be insignificant. The GPERS surveys are included in Attachment 3.
a – dpm/100 cm ²	-		

Facility & Waste Characterization Sampling

Five samples of potential asbestos-containing material were taken from the 108-N caustic tank in August of 1996. Subsequently, 19 samples of potential asbestos-containing material were taken from the 108-N Chemical Unloading Facility during a certified asbestos inspection in December of 2005. Finally, two samples of potential asbestos-containing material were taken from the interior of a French drain at the 108-N Chemical Unloading Facility during its demolition. Table 2 below summarizes the asbestos characterization sampling at the 108-N Chemical Unloading Facility.

Table 2: Summary of Asbestos Samples

Туре	Quantity	Method Detection Limits	Results
Asbestos – Thermal System Insulation and Miscellaneous Material	26 Samples	1% asbestos content	Samples of potential asbestos-containing material were taken from water lines, steam lines, and the condensate line within the 108-N pump building; the exterior of the 108-N caustic tank; and the interior of a French drain at the 108-N facility. One of the samples taken from fibrous material on the water lines contained asbestos above the method detection limit. It was decided that all elbows on the water supply piping should be considered to contain asbestos. Four of the samples taken from fibrous material on the steam lines contained asbestos above the method detection limit. It was decided that all components of the 108-N steam system should be considered to contain asbestos. The two samples taken from insulation within the French drain contained asbestos above the method detection limit. No other sample of potential asbestos-containing material from the 108-N facility contained asbestos above the method detection limit. All asbestos was removed from the facility prior to demolition.

The remainder of characterization sampling performed at the 108-N Chemical Unloading Facility was carried out to determine the acceptability of material disposal at the Environmental Restoration Disposal Facility (ERDF). Table 3 below summarizes the samples that were taken for such waste management purposes. These samples should not be confused with verification samples of WIDS site 120-N-7 or WIDS subsite 100-N-103:1. These verification samples are addressed later in this attachment.

Table 3: Summary of Additional Waste Management Samples

HEIS # Sample Date		Location	Material
J11K52	3-13-06	108-N French Drain	Anomalous Discolored Soil
J11K53	3-13-06	108-N French Drain	Anomalous Discolored Soil
J11K54	3-13-06	108-N French Drain	Anomalous Discolored Soil
J11KD9	3-13-06	108-N French Drain	Anomalous Discolored Soil
J13VN7	12-7-06	108-N Neutralization Pit	Water
J13VN8	12-7-06	108-N Neutralization Pit	Sludge
J16385	12-5-07	108-N/163-N Sulfuric Acid Transfer Line	Water
J16386	12-5-07	108-N/163-N Sodium Hydroxide Transfer Line	Water
J16383	12-11-07	108-N/163-N Chemical Transfer Lines	Soil

Demolition

The acid and caustic tanks were removed from the 108-N Chemical Unloading Facility prior to August 2005. The above and below grade portions of the railcar unloading station were demolished by December of 2008. The above grade portion of the 108-N pump building was demolished by May of 2006. The below grade portion of the 108-N pump building was demolished by December of 2008. The southeast portion of the 108-N/163-N Transfer Line and Neutralization Pit was removed with the railcar unloading station and the below grade portion of the 108-N pump building. Facility debris was stockpiled, reduced in size, loaded into roll-off containers, and then sent to the ERDF for disposal.

Contaminants of Concern

Radionuclides were the only contaminants of concern for demolition of the 108-N Chemical Unloading Facility.

Civil Survey Information

A pre-demolition Global Positioning System (GPS) civil survey was performed at the 108-N Chemical Unloading Facility in November of 2005. A post-demolition GPS civil survey was performed at the 108-N excavation in January of 2009. Copies of these GPS civil surveys are provided in Attachment 4.

A pre-demolition GPS civil survey was performed at the 108-N/163-N Transfer Line and Neutralization Pit in October of 2006. Post-demolition GPS civil surveys were performed at the excavations of the 108-N/163-N Transfer Line and the 108-N/163-N Neutralization Pit in February and November of 2008, respectively. Copies of these GPS civil surveys are provided in Attachment 4.

Anomalies

Three anomalous circumstances were encountered during demolition of the 108-N Chemical Unloading Facility:

- Potential asbestos-containing insulation was discovered within a French drain at the 108-N facility. This material was sampled and was determined to contain asbestos. It was properly disposed. Table 2 of this attachment summarizes the asbestos characterization sampling at the 108-N Chemical Unloading Facility.
- Stained soil was discovered at a French drain at the 108-N facility. This soil was sampled to ensure that it met the parameters of the applicable waste profile. Table 3 of this attachment summarizes the samples that were taken for waste management purposes.
- Sulfuric acid and sodium hydroxide were discovered within the soil underlying the 108-N
 railcar unloading station at levels that were not expected. As a result of this discovery, the
 excavation permit for 108-N removal was revised to incorporate additional excavation
 depths at this location.

Status of Associated/Adjacent WIDS Sites

Table 4 below provides information on the WIDS sites that were associated with, and/or adjacent to, the 108-N Chemical Unloading Facility.

Table 4: Associated/Adjacent WIDS Sites for 108-N

Site Number	Site Name	Description & Classification/Reclassification Statuses	Removal Status	
100-N-8	108-N Chemical Unloading Facility	This site consisted of the 108-N pump building, tank pit, tank foundations, and metal structure used to offload chemicals. Classification: Accepted Reclassification: Rejected	This site was completely removed during removal of the 108-N facility. As this site has received a Rejected reclassification status, no remedial action is expected for the underlying soil. This site was completely removed during removal of the 108-N facility. As this site has received a Rejected reclassification status, no remedial action is expected for the underlying soil.	
100-N-27	108-N Neutralization Pit	This site consisted of a concrete pit with a brick lining and steel lid that received drainage from the 108-N floor drains and 108-N acid transfer tank. Classification: Accepted Reclassification: Rejected		
100-N-40	Unplanned Release at 108-N	This site consisted of a portion of a graveled lot at the railcar unloading station of the 108-N Chemical Unloading Facility that received an unplanned release of sodium hydroxide. Classification: Accepted Reclassification: Rejected	This site was remediated shortly after the time of the unplanned release, prior to removal of the 108-N facility As this site has received a Rejected reclassification status, no additional remediataction is expected.	

Site Site Name Number		Description & Classification/Reclassification Statuses	Removal Status
100-N-58	120-N South Settling Pond (1324-N South Settling Pond)	This site consisted of an unlined pond that received regeneration waste from the 163-N building and filter backwash water from the 183-N building. Regeneration waste from the 163-N building contained aluminum sulfate, sulfuric acid, sodium hydroxide solutions, and cooling water. Classification: Accepted Reclassification: Closed Out	This site was remediated, backfilled, and closed out prior to the removal of the 108-N facility. As this site has received a Closed Out reclassification status, no additional remedial action is expected.
100-N-61:1 (subsite)	109-N South Side Pipelines of the 100-N Water Treatment and Storage Facilities Underground Pipelines	This site consists of underground pipelines that were used to transport reactor cooling water, sewer water, sump discharge waste water, and chlorine between the 109-N building and the 181-N, 182-N, 183-NA, 1900-N, and 1908-N water treatment and storage facilities. Classification: Accepted	The portion of this subsite tha was located within the 108-N excavation footprint was completely removed during removal of the 108-N facility.
100-N-84:1 (subsite)	100-N Area Raw Water Pipelines	This subsite consists of pipelines used for transporting low pressure water, emergency water, raw water, raw water return, and raw water supply. Classification: Accepted	The portion of this subsite that was located within the 108-N excavation footprint was completely removed during removal of the 108-N facility.
100-N-84:3 (subsite) 100-N Area Filter and Potable Water Pipelines 100-N Area Filter and Potable Water Pipelines		The portion of this subsite that was located within the 108-N excavation footprint was completely removed during removal of the 108-N facility. As this subsite has received a No Action reclassification status, no remedial action is expected for the remaining portion.	
100-N-84:4 (subsite)	100-N Area Stream and Condensate Pipelines	This subsite consists of pipelines used for transporting steam condensate, injection water, and vacuum pump water. Classification: Accepted	The portion of this subsite that was located within the 108-N excavation footprint was completely removed during removal of the 108-N facility.

Site Number	Site Name	Description & Classification/Reclassification Statuses	Removal Status
100-N-84:5 (subsite)	100-N Area Sanitary Pipelines	This subsite consists of pipelines used for transporting sanitary water, sewer water, storm drain water, and disposal field water. Classification: Accepted	The portion of this subsite that was located within the 108-N excavation footprint was completely removed during removal of the 108-N facility.
100-N-84:6 (subsite)	100-N Area Chemical and Process Sewer Pipelines	This subsite consists of pipelines used for transporting chemical waste, radioactive drain waste, flush waste, sample waste, and chlorine. Classification: Accepted	The portion of this subsite that was located within the 108-N excavation footprint was completely removed during removal of the 108-N facility.
100-N-103:1	100-N Steam Condensate French Drains	This subsite consists of 11 steam condensate French drains and the associated underground pipeline components. Classification: Accepted Reclassification: No Action	One of the French drains, FD-1, was removed during removal of the 108-N facility. Contaminated soil remains within the FD-1 excavation boundary. This subsite will be closed out by the Field Remediation (FR) Organization.
120-N-1	1324-NA Percolation Pond	This site consisted of an unlined basin that received regeneration waste and process and cooling water from the 163-N building. <u>Classification:</u> Accepted	This site was remediated and backfilled prior to the removal of the 108-N facility.
120-N-2	1324-N Surface Impoundment	This site consisted of an unlined basin that received regeneration waste and process and cooling water from the 163-N building. <u>Classification:</u> Accepted	This site was remediated and backfilled prior to the removal of the 108-N facility.
120-N-6	108-N Acid Tank Vent French Drains	This site consisted of five French drains, three of which received overflow and condensate from the three sulfuric acid storage tanks south of the 108-N pump building. The remaining two French drains received 108-N acid tank vent overflow and condensate from a transfer tank in a concrete pit just west of the 108-N pump building. These French drains were packed with limestone to neutralize the acid before entering the soil column. Classification: Accepted Reclassification: Rejected	This site was completely removed prior to the removal of the 108-N facility. As this site has received a Rejected reclassification status, no remedial action is expected for the underlying soil.

Site Number	Site Name	Description & Classification/Reclassification Statuses	Removal Status	
120-N-7	108-N Acid Unloading Facility French Drain	This site consisted of a French drain at the Railroad Car Unloading Facility that was used to collect small releases of sulfuric acid from the overhead transfer boom hose coupling that offloaded sulfuric acid from the railroad tank cars and tank trucks.	This French drain was removed during removal of the 108-N facility. Contaminated soil remains within the 120-N-7 excavation boundary. This site will be closed out by	
		Classification: Accepted	the FR Organization.	
UPR-100-N- 15	108-N pump building and a portion of the adjacent exterior graveled field that received an unplanned release of sulfuric acid during an acid transfer from the acid transfer pumps. Classification: Accepted Classification: Classification:		This site was completely removed during removal of the 108-N facility. As this site has received a Rejected reclassification status, no remedial action is expected for the underlying soil. This site was completely removed during removal of the 108-N facility. As this site has received a Rejected reclassification status, no remedial action is expected for the underlying soil.	
UPR-100-N- 33		This site consisted of a portion of a graveled lot at the 108-N Chemical Unloading Facility that received an unplanned release of sulfuric acid during an acid transfer from a rail car to the sulfuric acid storage tank at the 108-N Chemical Unloading Facility. Classification: Accepted Reclassification: Rejected		
	1	20-N-5 and Associated WIDS Sites		
Site Number	Site Name	Description & Classification/Reclassification Statuses	Removal Status	
120-N-5 Note: 120- N-5 was connected to the 108-N facility	108-N/163-N Transfer Line and Neutralization Pit	This site consisted of a 720-foot long polymer-lined concrete trench that connected the 108-N Chemical Unloading Facility to the 163-N Demineralized Water Plant. It contained a sulfuric acid transfer line and a sodium hydroxide transfer line. A neutralization pit was located at a bend in the trench and collected waste spills from the transfer lines.	The southeastern portion of this site was removed during removal of the railcar unloading station, which was part of the 108-N Facility. No other portion of this site was affected during removal of the 108-N facility.	
		Classification: Accepted Reclassification: Rejected		

Site Number	Site Name	Description & Classification/Reclassification Statuses	Removal Status
•100-N-10 •100-N-11 •120-N-3 •UPR-100- N-34	120-N-3: 163-N Neutralization Pit and French Drain All other WIDS sites listed were unplanned releases of either sulfuric acid or sodium hydroxide from the 108-N/163-N Transfer Line and Neutralization Pit.	120-N-3: Neutralization Pit and French Drain Classification: Accepted All Others: Unplanned Releases Classification: Accepted Reclassification: Rejected	120-N-3 was not affected during removal of the 120-N-5 WIDS site. The locations of 100-N-10, 100-N-11, and UPR-100-N-34 were removed during partial removal of the 120-N-5 WIDS site. None of these four sites were affected during removal of the 108-N facility. As WIDS sites 100-N-10, 100-N-11, and UPR-100-N-34 have received Rejected reclassification statuses, no additional remedial action is expected at their locations.

Final Building Status and Underlying Soil

Demolition of the 108-N Chemical Unloading Facility was completed by December of 2008. Facility debris was sent to the ERDF for disposal. The excavation was subsequently backfilled with clean soil from the 100-N Borrow Pit.

Three anomalous substances were discovered during demolition of the 108-N Chemical Unloading Facility: asbestos-containing insulation within a French drain, stained soil at a French drain, and soil containing sulfuric acid and sodium hydroxide beneath the 108-N railcar unloading station. Samples were taken of the asbestos insulation and French drain stained soil, as summarized in Tables 2 and 3 of this attachment. The excavation permit for 108-N removal was revised to allow for removal of the soil containing sulfuric acid and sodium hydroxide, as these compounds were not expected to be present within the soil at the level at which they were discovered.

GPERS surveys were performed at the 108-N footprint as well as at a portion of the 108-N/163-N Transfer Line and Neutralization Pit footprint. Radiological contamination was not detected during these GPERS surveys. GPS civil surveys were performed to document the location of the 108-N Chemical Unloading Facility as well as its post-demolition excavation. Table 5 below summarizes the contaminants of concern for 108-N removal. Photographs are included in Attachment 2. GPERS surveys are included in Attachment 3 and GPS civil surveys are included in Attachment 4.

WIDS site 120-N-7 and WIDS subsite 100-N-103:1 are the only waste sites currently remaining within the 108-N excavation footprint. WIDS site 120-N-7 is the 108-N Acid Unloading Facility French Drain. It was located at the railcar unloading station, a portion of the 108-N Chemical Unloading Facility, and accordingly was demolished by December of 2008. Following demolition, this WIDS site was verification sampled by the FR Organization and the sample results indicated that the remaining soil exceeded the remedial action goal (RAG) for chromium

(total), lead, vanadium, sulfate, total petroleum hydrocarbons (TPHs), and various polycyclic aromatic hydrocarbons (PAHs). This WIDS site will undergo additional excavation and verification sampling by the FR Organization.

WIDS subsite 100-N-103:1 consists of the 100-N Steam Condensate French Drains. This set of French drains includes French drain FD-1, which was associated with the 108-N facility and was located immediately north of the 108-N pump building. Accordingly, FD-1 was likewise demolished by December of 2008. Following demolition, FD-1 was verification sampled according to the applicable verification sampling work instruction, as approved by the Department of Energy and the Washington State Department of Ecology (Ecology). The sample results indicated that the remaining soil exceeded the RAG for lead, zinc, PAHs, and TPHs. The 100-N-103:1 subsite lies within the boundary of Ecology-approved remediation design drawing 0100-DD-C0816, which also encompasses WIDS subsite 100-N-84:6. Accordingly, additional remediation of the 100-N-103:1 subsite will occur during remediation of the 100-N-84:6 subsite, which is scheduled to be remediated by the FR Organization in 2013. Therefore, new verification samples will be collected in the future to support interim closure of the 100-N-84:6 subsite and these samples will be used to support closeout of the 100-N-103:1 subsite as part of 100-N-84:6.


Table 5: Contaminants of Concern for Facility Demolition

Contaminant of Concern	Management Practice/Determination of No Impact to the Soil
	Radionuclides were the only contaminants of concern for demolition of the 108-N Chemical Unloading Facility. Radiological controls were in place during demolition and load out.
Radionuclides	The post-demolition GPERS surveys performed at the 108-N footprint did not detect radiological contamination. The GPERS survey maps are included in Attachment 3.
	Note: The 108-N Chemical Unloading Facility contained asbestos and hazardous chemicals during its operation. All asbestos-containing material and hazardous chemicals were removed prior to demolition.


Attachment 2: Photographs (3 Pages)



108-N Pre-Demolition



108-N Chemical Storage Tanks & Pump Building Pre-Demolition (Looking Southeast)



108-N Railcar Unloading Station (Looking Northwest)



108-N After Removal of Chemical Storage Tanks





108-N After Demolition & Backfill





108-N After Demolition & Backfill


Attachment 3: GPERS Surveys (6 Pages)














Attachment 4: GPS Surveys (14 Pages)

0579172

GPS Survey Data Report for 108N Pre Demolition

Project: Job 947

User name

maaye

Date & Time

Geoid Model

7:48:15 AM

Coordinate System US State Plane 1983 Zone

11/16/2006 Washington South

GEOID99 (Conus)

4602

Project Datum

NAD 1983 (Conus)

Vertical Datum Coordinate Units

Meters

Distance Units

Meters

Height Units

Meters

Survey Project Name/Title:

108N Building Pre Demolition

Survey Purpose:

GPS 108N building and surrounding

features prior to D&D

Requested By:

Amy Hood

General Site Location: Charge Code:

100-N per building

Field Surveyor:

MARGO AYE

Computer Software Used:

Survey Controller

Survey Equipment Used:

5800 100N-4

Control Monuments Used: Survey Method:

Estimated Horizontal Precision:<=0.02m Estimated Vertical Precision: <=0.05m

Fieldwork Start Date

November 29, 2005


Completion Date:

December 12, 2005

Notes: LOGBOOK# EL 1571

Name	Northing	Easting	Elevation	Feature Code	Description
892	149285.655m	571260.223m	140.095m	tank-pad	(67)
893	149281.215m	571262.223m	140.082m	tank-pad	
888	149275.789m	571259.576m	139.922m	corn	
894	149283.636m	571254.688m	140.090m	tank-pad	
891	149279.010m	571253.096m	140.300m	drain	Frech Drain
887	149279.633m	571250.777m	139.892m	corn	
896	149278.752m	571247.903m	139.983m	pipeline	
895	149277.844m	571250.091m	139.917m	pipeline	
902	149276.812m	571249.617m	139.967m	pipeline	
901	149277.361m	571248.537m	140.018m	pipeline	
903	149275.599m	571246.484m	139.899m	pipeline-fence	

904	149278.413m	571239.761m	139.803m	fence	
890	149271.816m	571247.534m	139.912m	corn	
1128	149268.195m	571256.288m	139.927m	bldg-corn	
906	149266.047m	571242.507m	139.929m	pipeline-fence	
905	149269.075m	571235.652m	139.778m	fence	
898	149259.624m	571231.891m	139.942m	pipeline	
897	149256.780m	571238.649m	139.988m	pipeline	
900	149255.347m	571239.217m	140.004m	pipeline	
899	149258.568m	571231.516m	139.924m	pipeline	Back to top



11538317

Post Demolition GPS Survey Report for 108N

Project: post108n Job 947

User name

maaye

Date & Time

Zone

5:16:05 PM 1/22/2009

Coordinate System

US State Plane 1983

Project Datum

NAD 1983 (Conus)

Washington South 4602

Vertical Datum

NAD83

Geoid Model

GEOID99 (Conus)

Coordinate Units Distance Units

Meters Meters

Height Units

Meters

Survey Project Name:

Post Demolition Survey for 108N

1/15/2009

Equipment:

5800

Survey Purpose:

Map the top and toe of demolition location

Requested By:

Stankovitch

Location:

100N R108NON400

Charge Code:

Survey Software Used: Trimble Survey Controller, and Geomatics Office V.11
Survey Equipment Used: 5800

Control Monuments Used: N-2

Survey Method: Horizontal Percision: Vertical Precision:

RTK .020m .050m

Fieldwork Start Date: Fieldwork Completion Date: 011509 Notes: LogBook # EL-1571-03

011409


Name	Northing	Easting	Elevation	Description
1	149254.750m	571244.003m	140.364m	top
2	149252.802m	571242.967m	140.317m	top
3	149252.418m	571240.833m	140.301m	top
4	149253.718m	571238.541m	140.270m	top
5	149254.430m	571237.829m	140.240m	top
6	149257.394m	571231.515m	140.205m	top
7	149258.031m	571230.691m	140.138m	top
8	149260.767m	571231.950m	140.119m	top
9	149258,909m	571238.590m	140.134m	top
10	149262.458m	571239.546m	140.114m	top
11	149263.461m	571240.236m	139.976m	top
12		571239.118m		top
13	149268.814m	571243.336m	139.451m	top
14	149268.150m	571244.644m	139.599m	top
15	149267.384m	571247.225m	139.464m	top
16	149268.404m	571248.710m	139.526m	top
17	149268.443m	571254.436m	139.551m	top
18		571258.804m		top
19	149263.540m	571260.653m	139.905m	top
20	149260.494m	571267.100m	139.976m	top
21	149255.326m	571279.798m	140.145m	top
22	149260.497m	571282.434m	140.010m	top
23		571285.165m		top
24	149256.313m	571284.069m	140.305m	top
25	149252.909m	571282.975m	140.355m	top
26	149250.988m	571282.243m	140.354m	top
27	149245.538m	571279.497m	140.363m	top

```
149242.451m 571278.695m 140.342m
                                            top
29
          149237.492m 571275.156m 140.241m
                                            top
30
          149237.385m 571272.816m 140.164m
                                            top
31
          149239.041m 571270.699m 140.100m
          149240.306m 571270.537m 139.829m
32
33
          149246.479m 571273.467m 139.891m
          149249.274m 571275.588m 139.860m
34
35
          149251.551m
                      571277.179m
                                   139.856m
          149252.678m 571274.532m 139.947m
                                             top
36
          149254.837m 571269.393m 139.961m
37
          149257.529m 571263.236m 140.098m
                                             top
38
          149256.354m 571261.017m 140.088m
39
          149253.484m 571253.063m 140.135m
40
                                             top
          149252.779m 571248.636m 140.161m
          149258.042m 571245.361m 138.235m
42
                                             toe toe
43
          149258.992m 571243.918m 138.250m
                                             toe toe
44
          149259.375m 571243.300m 138.351m toe toe
          149257.850m 571242.179m 139.042m toe toe
45
46
          149256.455m 571242.440m 139.264m
                                             toe toe
          149255.602m 571241.653m 139.294m
47
                                            toe toe
48
          149254.566m 571240.832m 139.391m
          149255.403m 571239.058m 139.261m toe toe
49
50
          149257.059m
                      571235.236m 139.532m
          149258.245m 571232.154m 139.543m
51
                                            toe toe
          149259.635m 571232.476m 139.577m
                                             toe toe
53
          149258.384m 571236.041m 139.522m
                                             toe toe
54
          149256.938m 571239.060m 139.266m toe toe
55
          149258,200m 571240.536m 139.068m toe toe
          149260.469m 571242.598m 138.359m toe toe
56
57
          149263.010m 571245.227m 138.235m
                                             toe toe
          149264.407m 571247.171m 138.333m
58
                                             toe toe
59
          149264.688m 571250.251m 137.760m toe toe
          149264.140m 571252.850m 138.109m toe toe
60
          149263.646m 571255.701m 138.340m
61
                                             toe toe
          149261.675m 571257.961m 138.475m toe toe
62
          149260.847m 571260.720m 138.534m toe toe
63
          149260.458m 571263.089m 139.256m toe toe
64
65
          149257.655m 571269.274m 139.074m
                                             toe toe
          149255.564m 571275.052m 139.085m
66
                                            toe toe
          149253.679m 571278.626m 139.292m
                                            toe toe
          149253.356m 571280.276m 139.310m
                                             toe toe
68
          149255.460m 571281.566m 139.758m
                                             toe toe
          149259.297m 571283.073m 139.784m
                                             toe toe
70
          149258.506m 571283.630m 139.597m toe toe
71
72
          149255.649m 571282.371m 139.742m
73
          149252.229m 571280.723m 139.128m
                                             toe toe
          149247.582m 571278.204m 139.249m toe toe
          149241.350m 571275.524m 139.390m toe toe
75
          149238.676m 571273.474m 139.434m
                                             toe trench and WIDS
          149239.512m 571272.179m 139.478m toe trench and WIDS
77
78
          149243.351m 571275.299m 139.259m toe toe
          149248.932m 571278.105m 139.287m
                                             toe toe
79
80
          149251.685m 571279.718m 139.195m
                                             toe toe
          149253.825m 571277.167m 139.236m
                                             toe toe
81
          149255.846m 571271.236m 139.098m
82
                                             toe toe
83
          149258.938m 571263.318m 139.266m
                                             toe toe
          149259.784m 571259.254m 138.559m toe toe
84
85
          149261.697m 571253.364m 138.429m toe toe
          149260.438m 571247.816m 138.372m toe toe
86
87
          149262.151m
                       571262.047m
                                   139.644m
                                             cut-wires-copper-coated
          149237.924m 571272.001m 140.111m
                                             stained-soil
88
          149277.694m 571260.865m 139.822m
          149280.006m 571263.531m 139.704m
90
                                             top
91
          149284.326m 571263.142m 139.679m
                                             top
          149285.693m 571261.962m 139.709m
```

mhtml:file://C:\Trimble Geomatics Office\Projects\100N Buildings\post108n\Reports\Post... 2/11/2009

```
149287.412m 571256.893m 139.823m
           149286.581m 571253.827m 139.749m
95
           149280.262m 571252.526m 139.638m
                                                 top
96
           149276.003m 571256.580m 139.680m
           149280.364m 571256.824m 138.839m
97
           149279.454m 571258.742m 138.850m
           149282.029m 571261.607m 138.991m
149284.663m 571260.253m 138.934m
99
                                                 toe
100
           149284.854m 571257.496m 138.890m
101
                                                 toe
102
           149283.937m 571254.373m 138.981m
103
           149281.738m 571254.097m 138.976m
                                                 toe
           149279.528m 571249.602m 139.572m
104
                                                 top
105
           149281.870m 571248.726m 139.703m
           149283.582m 571246.782m 139.723m
106
107
           149284.112m 571242.963m 139.809m
                                                 top
           149283.598m 571241.003m 139.799m
108
                                                 top
           149278.656m 571238.349m 139.885m
109
           149275.768m 571238.743m 139.886m
110
                                                 top
           149273.667m 571242.983m 139.555m
149272.731m 571246.392m 139.491m
111
112
113
           149272.150m 571248.012m 139.443m
           149272.774m 571249.355m 139.593m
114
                                                 top
115
           149276.142m 571249.811m 139.617m
           149277.829m 571243.826m 137.903m
116
                                                 toe
117
           149278.573m 571245.241m 137.888m
                                                 toe
           149280.272m 571244.407m 137.872m 149279.490m 571243.096m 137.843m
                                                 toe
118
119
                                                 toe
120
          149278.114m 571242.749m 137.979m
121
           149280.147m 571247.198m 138.615m cut-pipe-10in
           149279.830m 571247.912m 139.267m pipe-90degree-bend 149279.547m 571248.457m 139.417m cut-pipe-1.5in
122
123
          149279.506m 571248.071m 139.215m cut-pipe-10in
124
           149283.863m 571253.404m 139.510m cable
125
           149279.937m 571272.161m 139.903m
126
           149280.923m 571272.674m 139.898m
127
           149280.971m 571273.686m 139.846m
           149278.866m 571277.743m 139.936m
129
130
           149275.572m 571276.360m 139.966m
           149277.299m 571272.391m 139.891m
131
                                                 top
132
          149277.580m 571273.839m 139.242m
           149277.241m 571275.155m 139.173m 149278.552m 571276.035m 139.213m
                                                 toe
133
134
                                                 toe
135
           149279.165m 571273.749m 139.264m toe
           149278.186m 571275.382m 139.134m galv-anchor
136
137
           149260.806m 571265.751m 139.969m cut-copper-wire
           149258.489m 571263.922m 139.444m cut-copper-wire
138
           149257.408m 571264.356m 139.823m cut-copper-wire
139
           149251.917m 571255.149m 140.088m cut-wires (mass)
140
           149237.151m 571270.570m 139.950m stained-area
141
           149238.676m 571271.330m 140.101m stained-area
142
143
           149237.562m 571272.726m 140.145m stained-area
           149235.699m 571271.514m 140.171m stained-area 149258.696m 571283.792m 139.721m cut-pipe-lin
144
145
           149269.015m 571283.420m 140.330m telephone-access-cut
146
```

Back to top



GPS Pre Demo Survey for the 108N Sump and Trench

Project: 100N-10-24

Job 1232


User name	maaye	Date & Time	4:44:32 PM 12/13/2012
Coordinate System	US State Plane 1983	Zone	Washington South 4602
Project Datum	NAD 1983 (Conus)		Take the Park and County of the County of th
Vertical Datum	NAD83	Geoid Model	GEOID99 (Conus)
Coordinate Units	Meters		
Distance Units	Meters		
Height Units	Meters		

Survey Project Name:	108N Sump and Trench Post Demolition Survey
Date:	11/8/2006
Equipment:	5800
Survey Purpose:	Map the location of 108N Post Demolition
Site	
Requested By:	Amy Hood
Location:	100N
Charge Code:	
Field Surveyor:	Margo Aye
Survey Software Used:	Trimble Survey Controller, and Geomatics
Office V.11	
Survey Equipment Used:	5800
Control Monuments Used:	F-Line
Survey Method:	RTK
Horizontal Precision:	.0020m

Survey Method: RTK
Horizontal Precision: .0020m
Vertical Precision: .0050m
Fieldwork Start Date: 10/31/06
Fieldwork Completion Date: 10/31/06
Notes:

Name	Northing	Easting	Elevation	Feature Code
Description	on:			
126	149287.221m	571166.479m	139.510m	conc-pad
127	149301.584m	571132.135m	139.416m	conc-pad
129	149306.417m	571117.976m	139.458m	108N-pipeline
130	149309.198m	571119.188m	139.419m	108N-pipeline-fence
131	149308.776m	571120.226m	139.489m	108N-pipeline-fence
132	149306.551m	571120.548m	139.506m	108N-pipeline-fence
898	149259.624m	571231.891m	139.942m	pipeline
899	149258.568m	571231.516m	139.924m	pipeline

Back to top



Post Demo GPS Survey Report for 108N **Trench**

Project: 100N-108trench

Job: 1036

User name

maaye

Date & Time

3:26:10 PM 12/10/2008

Coordinate System

US State Plane 1983

Zone

Washington South 4602

Project Datum

NAD 1983 (Conus) NAD83

Geoid Model

GEOID99 (Conus)

Vertical Datum Coordinate Units

Meters

Distance Units Height Units

Meters Meters

Survey Project Name:

Post Demo Survey for the 108N Trench from the 108N

Building

Date:

2/20/08

Survey Purpose:

Map the toe and top of the old trench

Requested By:

Tom Edmondson

Location:

100N

Charge Code:

Field Surveyor:

Margo Aye

Survey Software Used:

Trimble Survey Controller, and Geomatics Office

Survey Equipment Used:

Control Monuments Used:

5800

Survey Method:

RTK .020m

Horizontal Percision: Vertical Precision:

.050m 2/20/08


Fieldwork Start Date: Fieldwork Completion Date: 2/20/08

Logbook# EL-1571-03

Name	Northing	Easting	Elevation	Feature Code	Description
N-2	149644.179m	571811.159m	144.762m		2.55
1	149258.742m	571231.579m	139.717m	bottom	
2 3	149259.546m	571231.894m	139.675m	bottom	
	149260.148m	571230.429m	139.480m	bottom	
4 5	149259.444m	571229.974m	139.511m	bottom	
	149261.508m	571227.049m	139.425m	bottom	
6	149260.939m	571227.015m	139.343m	bottom	
7	149261.512m	571224.818m	139.594m	bottom	
8	149262.687m	571224.938m	139.637m	bottom	
9	149262.818m	571221.320m	139.615m	bottom	
10	149264.069m	571221.666m	139.700m	bottom	
11	149263.787m	571220.614m	139.485m	bottom	
12	149266.312m	571215.792m	139.434m	toe-bottom	
13	149266.185m	571213.034m	139.554m	toe-bottom	
14	149267.881m	571210.125m	139.511m	toe-bottom	
15	149269.664m	571206.869m	139.633m	toe-bottom	
16	149270.698m	571204.120m	139.435m	toe-bottom	
17	149272.904m	571200.552m	139.436m	toe-bottom	
18	149271.926m	571200.210m	139.454m	toe-bottom	
19	149274.660m	571195.755m	139.261m	toe-bottom	

20	149273.946m	571195.442m	139.255m	toe-bottom
21	149275.238m	571193.642m	139.432m	toe-bottom
22	149274.767m	571193.336m	139.442m	toe-bottom
23	149275.131m	571192.831m	139.398m	toe-bottom
24	149275.590m	571193.141m	139.402m	toe-bottom
25	149275.256m	571193.186m	139.773m	pipe-center
26	149276.109m	571193.597m	139.540m	pipe-edge
27	149275.628m	571191.219m	139.308m	pipe-edge
28	149276.438m	571191.245m	139.324m	pipe-edge
29	149276.878m	571191.784m	139.487m	pipe-edge
30	149277.430m	571187.112m	139.295m	pipe-edge
31	149278.453m	571186.945m	139.288m	pipe-edge
32	149279.536m	571181.798m	139.407m	pipe-edge
33	149280.571m	571182.032m	139.418m	pipe-edge
34	149282.011m	571176.041m	139.496m	pipe-edge
35	149283.909m	571174.418m	139.455m	pipe-edge
36	149284.508m	571170.768m	139.338m	pipe-edge
37	149285.788m	571170.158m	139.341m	pipe-edge
38	149306.435m	571118.067m	139.801m	conc-pad
39	149309.164m	571119.243m	139.796m	conc-pad
40	149308.084m	571119.425m	139.805m	mh
41	149306.748m	571118.897m	139.811m	mh
42	149304.594m	571122.033m	139.062m	toe
43	149305.452m	571122.888m	139.051m	toe
44	149303.576m	571126.848m	139.009m	toe
45	149302.600m	571126.426m	139.012m	toe
46	149301.836m	571130.271m	139.036m	toe
47	149300.642m	571130.294m	139.086m	toe
48	149300.265m	571131.417m	139.056m	toe
49	149301.362m	571131.087m	138.989m	toe
50	149303.201m	571123.330m	139.600m	top
51	149304.664m	571121.539m	139.743m	top
52	149306.025m	571122.027m	139.702m	top
53	149306.453m	571122.948m	139.713m	top
54	149304.509m	571126.575m	139.701m	top
55	149302.773m	571130.196m	139.720m	top
56	149305.181m	571127.262m	139.848m	valve
57	149286.540m	571170.328m	139.719m	top
58	149280.838m	571177.495m	139.860m	top
59	149282.401m	571179.037m	139.801m	top
60	149278.836m	571187.799m	139.808m	top
61	149276.308m	571187.705m	139.902m	top
62	149274.553m	571198.461m	139.726m	top
63	149271.511m	571198.911m	139.877m	top
64	149267.745m	571207.676m	139.886m	top
65	149269.719m	571209.364m	139.834m	top
66	149265.167m	571220.602m	139.989m	top
67	149262.609m	571220.151m	139.878m	top
68	149258.691m	571229.359m	139.978m	top
69	149260.343m	571232.093m	139.964m	top
70	149258.078m	571231.390m	139.964m	top

Back to top



GPS Post Demo Survey for the 108N Sump

Project: 108N-sump

Job: 1232

User name	maaye	Date & Time	4:02:20 PM 12/13/2012
Coordinate System	US State Plane 1983	Zone	Washington South 4602
Project Datum	NAD 1983 (Conus)		
	And the second s		

Vertical Datum NAD83 Geoid Model GEOID99 (Conus) Coordinate Units Meters **Distance Units** Meters

Height Units	Meters
Survey Project Name:	108N-sump-post
Date:	12/4/2008
Equipment:	5800
Survey Purpose:	Post demo survey of the daylight and toe excavation
Requested By:	Tom Edmundson


Location: 100N Charge Code:

Field Surveyor: Margo Aye Trimble Survey Controller, and Geomatics Office V.11

Survey Software Used: Trimb Survey Equipment Used: 5800 Control Monuments Used: N-2 Horizontal Precision: .020 .020m .050m 11/8/08 Vertical Precision: Fieldwork Start Date: Fieldwork Completion Date: 11/8/08

Name	Northing	Easting	Elevation	Feature Code	Description:
1	149305.849m	571114.700m	139.473m	top top	-
1 2	149303.461m	571116.576m	139.488m	top	
3	149302.189m	571120.012m	139.529m	top	
4	149301.353m	571121.128m	139.607m	top	
5	149302.383m	571122.929m	139.699m	top	
6	149305.741m	571124.511m	139.836m	top	
6 7 8 9	149309.220m	571124.753m	139.988m	top	
8	149311.917m	571123.756m	139.868m	top	
9	149313.559m	571121.838m	139.712m	top	
10	149312.521m	571117.635m	139.577m	top	
11	149310.714m	571115.965m	139.481m	top	
12	149307.617m	571114.902m	139.449m	top	
13	149305.918m	571119.485m	138.244m	toe toe	
14	149308.123m	571120.016m	138.309m	toe	
15	149310.272m	571119.847m	138.367m	toe	
16	149310.136m	571118.615m	138.292m	toe	
17	149308.587m	571118.297m	138.253m	toe	
18	149306.642m	571118.009m	138.134m	toe	
19	149307.646m	571119.282m	138.155m	middle	

Back to top



Attachment 5: Sampling Determination Form for the 108-N Chemical Unloading Facility (SDF-100N-003) (5 Pages)

Acrobat 9 0

100-N ANCILLARY FACILITIES REMOVAL ACTION SAMPLING DETERMINATION FORM

Determination Number SDF-100N-003

A. INSTRUCTIONS

This form must be completed to: 1) document existing data in order to determine if current data is suitable to prove completion of 100-N Ancillary Facilities, or 2) document that site-specific sampling and analyses are needed to provide completion for 100-N Ancillary Facilities.

B. GENERAL INFORMATION

Building Name: Chemical Unloading Facility

Building Number: 108-N

WIDS Sites Associated or Adjacent:

Associated (taken from CCN 143099 pgs. 4-5):

100-N-8 (rejected), 100-N-27 (rejected), 100-N-40 (rejected), 100-N-58 (closed out), 120-N-1 (irrelevant due to distance from 108-N), 120-N-2 (intersects 120-N-5), 120-N-3 (intersects 120-N-5), 120-N-5 (rejected), 120-N-6 (rejected), and 120-N-7

Adjacent (determined using GIS Site Tool)

100-N-10 (within 120-N-5, rejected); 100-N-11 (within 120-N-5, rejected); 100-N-61; 100-N-84:1 (intersects 120-N-5); 100-N-84 colon sites 3, 4, 5, and 6 (each connects directly to 108-N); 100-N-103:1; UPR-100-N-15 (rejected); UPR-100-N-33 (rejected)

Note: A waste site with a rejected status, as well as a waste site whose only association with a facility is through a rejected waste site, are of no concern in determining the need to sample at that facility. Accordingly, the only waste sites that should be considered in determining the need for sampling at this facility are: 100-N-58, 120-N-7, 100-N-61, 10 N-84 (colon sites 1, 3, 4, 5, and 6), and 100-N-103:1.

C. INFORMATION SOURCES

Available information (list document number for each if applicable):

Historical Site Assessment: N/A

Site Walkdown: N/A

Global Positioning Environmental Radiological Surveyor (GPERS) Radiological Survey: surveys ESR-FRM-08-0011, ESR-

IH Characterization Report: N/A

FRM-08-0012, ESR-FRM-08-0170,

and ESR-FRM-09-0005

IHC/FHC Document: N/A

143099

RCC Stewardship Information System Facility WIDS/SIS: Summary Reports: 108-N, 100-N-27, 120-N-5,

and 120-N-7

Post-Demolition Summary Report for the 108-N PDSR: Chemical Unloading Facility and the 120-N-5 Transfer Line Trench and Neutralization Pit CCN

Facility Inspection: N/A

Waste Characterization Checklist: N/A

Summary Report:

Characterization Summary Report for the 163-N Demineralized Water Treatment Plant and the 108N Chemical Unloading Facility CCN 122914

Other:

Radiological Survey Record: RSR-100N-09-0045 (Downposting)

100-N Area Technical Baseline Report: WHC-SD-EN-TI-251

Asbestos Summary Report, 108-N Chemical Unloading Facility: CCN 125292

Pre-Existing Conditions Survey of Hanford Site Facilities: BHI-00221

Waste Site Reclassification Form for 120-N-5: CCN 523335

Discovery Site Evaluation Checklist for 120-N-7

Sample Results on 108-N Neutralization Pit Water: CCN 131359

Hazardous Material Removal from 100N Buildings: CCN 137407

Work Package 2005 09 20 005: Master 100 Area Building and Structure Demolition

Work Package 2005 09 20 003 G: 100 Area TSI Asbestos Abatement

Work Package 2005 09 20 002 AG: 100 Area Hazardous Material Removal

Acrobat 9.0

100-N ANCILLARY FACILITIES REMOVAL ACTION

SAMPLING DETERMINATION FORM	Determination Number SDF-100N-003
Work Package 2005 09 20 002 P: 100 Area Hazardous Material Removal Work Package 2005 09 20 001 D: 100 Area Characterization and Sampling Work Package 100 07 12 03 002: 108N Demolition / Phase 2 Photographs of 108-N, No Time Stamps: CCN 143099 Figures 1-5	Parameter State Control of the Contr
D. HAZARDOUS SUBSTANCES	
Check all that apply:	**************************************
☐ None ☐ Asbestos containing material ☐ Lead ☐ PCBs/PCB Articles	○ Oils/Greases
Chemicals List: Sulfuric Acid & Sodium Hydroxide (WHC-SD-EN-TI-251 Figure 2-12). Comparison of the facility, these had the greatest potential for release.	Of the materials present
☐ Radiological Contamination ☐ Mercury/Mercury Devices	
Other: Anions, Hexavalent Chromium, Total Chromium, Metals, PAHs, PCBs, and SVOCs (Summary, Rev. 19 for waste sites 100-N-61, 100-N-84 (colon sites 1, 3, 4, 5, and 6),	(100-N Area Waste Site , and 100-N-103:1)
References/Comments: Asbestos: CCN 125292 Appendices B & D Lead: BHI-00221 pg. 3-54 Work Package 2005 09 20 002 AG WCH Task Instruction pgs. 3 & 4 Oils/Greases: Work Package 2005 09 20 002 P WCH Task Instruction pg. 3 Radiological Contamination: Work Package 2005 09 20 001 D WCH Task Instruction pg. 2 Mercury/Mercury Devices: Work Package 2005 09 20 002 P WCH Task Instruction pg. 3	
Liquids: ⊠ Yes ☐ No	
If yes, describe source and nature of liquids: This facility contained storage tanks and transfer pumps for sulfuric acid and sodium hydroxide Figure 2-12).	(WHC-SD-EN-TI-251
Were the hazardous substances removed from the facility prior to demolition?	⊠ No
As verified by what documentation: While it is unclear if all hazardous substances were removed from the facility prior to demolition exists for several sources of hazardous substances. All friable asbestos was removed during a 2005 09 20 003 G WCH Task Instruction pg. 5). All door actuators, which typically contained o were removed (Work Package 2005 09 20 002 WCH Task Instruction pg. 7). All incandescent bulbs, which typically contained various metals including mercury, were removed (Work Packag Task Instruction pg. 7).	abatement (Work Package pils (sometimes PCB oils), and fluorescent light
Was there potential for hazardous substances to be introduced into the soils during facility operations or demolition?	No □ N/A
References/Comments: Multiple spills and stains are documented for this facility. Consult the remaining text from part [references.	D of this form for
List any hazardous materials left in the building for demolition: It is unclear if any hazardous materials were left in the building for demolition. Lead-Acid batter expected hazardous material for this facility (Work Package 2005 09 20 002 AG WCH Task Ins note within this work package indicates that items listed in the task instructions had been compl Instruction pg. 1). Accordingly, the battery removal might have occurred as this activity was addinstruction on pages 2-4. However, the Hazmat Removal Checklist for this work package does batteries were removed (WCH Task Instruction pg. 7).	struction pgs. 3 & 4). A leted (WCH Task dressed in the WCH Task
At least one indication exists for the usage of lead piping at this facility (BHI-00221 pg. 3-54). We piping was not addressed in either of the corresponding hazardous material removal work package environmental concern as the EPA and Washington State Department of Ecology approved a description of the facility that allowed lead piping to remain in the facility during demolition (CCN 1	ages, it is not an item of
Oils/greases and mercury are identified as expected hazardous materials for this facility (Work I P WCH Task Instruction pg. 3). However, both materials are marked "N/A" on the correspondin	Package 2005 09 20 002

Acrobat 9 0

100-N ANCILLARY FACILITIES REMOVAL ACTION SAMPLING DETERMINATION FORM

Determination Number SDF-100N-003

Checklist (Work Package 2005 09 20 002 P WCH Task Instruction pg. 7). This suggests that these materials were either not encountered as expected, or were encountered but not removed under this work package.

It is unknown if the acid and caustic tanks and pumps were removed prior to demolition. Such information could possibly be addressed in the above grade demolition work package, as referenced in the Post-Demolition Summary Report for this facility (CCN 143099 pg. 5). The referenced work package is generic, but states that it shall be applied to an individual building through an applicability attachment (Work Package 2005 09 20 005 WCH Task Instruction pg. 1). Applicability attachment S is listed as that which corresponds to the 108-N facility (Work Package 2005 09 20 005 WCH Task Instruction pg. 7a). However, no such attachment is available through Universal Content Manager nor the Document And Records Tracking System. Furthermore, none of the other work packages pertaining to 108-N appear to address either the presence or removal of these chemical sources prior to demolition.

The facility's steam system was radiologically contaminated (Work Package 2005 09 20 001 D WCH Task Instruction pg. 2). It was not determined during review of the facility if the steam system was removed prior to demolition. However, radiological contamination is not an item of concern for the facility because none was detected in the downposting survey nor the GPERS surveys (RSR-100N-09-0045, ESR-FRM-08-0011, ESR-FRM-08-0012, ESR-FRM-08-0170, and ESR-FRM-09-0005).

Does review of historical records and process knowledge indicate a potential for radiological or chemical contamination to be present in the facility?

Historical records indicate that the facility can be determined to be free of asbestos and radiological contamination, as explained in the previous section. However, the potential for the presence of the remaining hazardous substances listed above cannot be ruled out, as explained in the previous section. This includes lead, oils/greases, sulfuric acid, sodium hydroxide, and mercury.

Further indication of the potential for the presence of these substances can be found in various historical records. One document identifies a possible sodium hydroxide spill, standing liquid of unknown origin, and major historical acid spills (BHI-00221 pg. 3-54). Multiple stains were discovered in the soil and concrete of the facility (CCN 143099 pg. 5, Work Package 2005 09 20 001 D WCH Task Instruction pgs. 3 & 4). At least some of these stains were the result of sulfuric acid spills (Work Package 2005 09 20 001 D WCH Task Instruction pg. 4).

Comments:

The 120-N-7 french drain appears to have been part of the same sulfuric acid off-loading process that stocked the acid tanks at the 108-N facility (CCN 143099 pg. 5). The remediation of 120-N-7 was deemed necessary as a pH of less than 1 was present in the surrounding soil (Work Package 100 07 12 03 002 WCH Task Instruction pg. 2). Accordingly, the highly acidic conditions at 120-N-7 would be indicative of potential conditions of elevated acidity at 108-N.

It should be noted that waste site 120-N-5 was reclassified as rejected despite transporting the chemicals stored at the 108-N facility. This determination was based on the belief that any acid or caustic spills would have been neutralized by the soil and environmental conditions (CCN 523335). This was not the belief that was acted upon for 120-N-7. One difference between the two sites is the collection of chemicals that each likely received. Process knowledge of 120-N-5 indicates that it received both sulfuric acid and sodium hydroxide, while process knowledge of 120-N-7 suggests that it received only sulfuric acid (WHC-SD-EN-TI-251 Figure 2-12, and the Discovery Site Evaluation Checklist for 120-N-7). Of the two waste sites, the 108-N facility was most like 120-N-5 as it contained both sulfuric acid and sodium hydroxide.

The 108-N facility and adjoining 120-N-5 Transfer Pipes and Neutralization Pit were entirely removed along with all

corresponding concrete pads during demolition (CCN 143099 pg. 6).	rely remov	ved along with air
E. FIELD OBSERVATIONS		
Visual Inspection		
Were any stained soils/anomalies discovered during or after demolition of the facility? References/Comments: Several Anomalies were discovered throughout the demolition process. One of which was already designated a waste site, which will be removed and closed out by FR at a later of drain was discovered during the demolition process. The french drain was determined to Material (ACM) and stained soils, both of which were sampled for purposes of waste discremoved (CCN 143099 pgs. 2 & 5).	late. Addi	tionally, another french

SAMPLING DETERMINATION	OVAL ACTION FORM	1000	nation Number 0N-003
Were samples taken of the stained soils/anomalies?	⊠ Yes	□ No	□ N/A
References/Comments: Samples were taken at the extent of the 120-N-7 excavation and the french dr 5).		CCN 1430	
Do results of the samples indicate that chemical contamination exists?	⊠ Yes	□ No	□ N/A
References/Comments: Samples taken from waste site 120-N-7 indicate several constituents above th site is already within FR scope.		_	
Is the area potentially a discovery site?	☐ Yes	⊠ No	6 10 10 10 10 10 10 10 10 10 10 10 10 10
References/Comments: Samples taken from this location correlate with waste site 120-N-7, which is all			
Radiological Surveys			
Did radiological surveys (GPERS or equivalent) identify contamination?	☐ Yes	⊠ No	
References/Comments: RSR-100N-09-0045, ESR-FRM-08-0011, ESR-FRM-08-0012, ESR-FRM-08-0	1	100 mm	
Were samples taken of the radiologically contaminated soils?	☐ Yes	П No	⊠ N/A
References/Comments: Since radiological contamination was not identified, this question is not applica	· · · · · · · · · · · · · · · · · · ·		
Is the area potentially a discovery site?	☐ Yes	⊠ No	ISA
References/Comments: No radiological contamination was identified.	, X 1000	Bearing	
Were the contaminated materials removed?	☐ Yes	□No	⊠ N/A
References/Comments: Since radiological contamination was not identified, this question is not applical	ble.		Proceeds To Service St.
F. WIDS SITES			
	and the second second	1 1	
Were there any WIDS sites affected by D4 activities? ☐ Yes ☐ No			
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5).	of depth allowed by its above the RAGS	the excava	ation permit. ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituents.	of depth allowed by its above the RAGS	the excava	ation permit. ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5).	of depth allowed by nts above the RAGS	the excave	ation permit. ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituer excavation was delineated with straw and backfilled (CCN 143099 pg. 5). Were the WIDS site(s) completely removed? Yes No References/Comments:	nts above the RAGS	S. The ext	ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5). Were the WIDS site(s) completely removed? Yes No References/Comments:	nts above the RAGS	S. The ext	ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5). Were the WIDS site(s) completely removed? Yes No References/Comments: Will the Ancillary Facility Footprint be deferred to FR to be closed out with a confidence of the	nts above the RAGS	S. The ext	ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5). Were the WIDS site(s) completely removed? Yes No References/Comments: Will the Ancillary Facility Footprint be deferred to FR to be closed out with a confidence of the control of the co	o-located Waste Site	S. The ext	ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5). Were the WIDS site(s) completely removed? Yes No References/Comments: Will the Ancillary Facility Footprint be deferred to FR to be closed out with a confidence of the comments of	o-located Waste Site	S. The ext	ent of
Were there any WIDS sites affected by D4 activities? Yes No If yes, list the WIDS sites: 120-N-7 was partially removed by D4. The french drain was dug to the extent of Staining was still evident at this depth and samples indicated several constituent excavation was delineated with straw and backfilled (CCN 143099 pg. 5). Were the WIDS site(s) completely removed? Yes No References/Comments: Will the Ancillary Facility Footprint be deferred to FR to be closed out with a confidence of the References/Comments: 120-N-7 is already within the scope of FR. G. GOPCs FOR SOILS AND STRUCTURES REMAINING AFTER DEMOLITION What are the potential contaminants of concern for the remaining below-grade	o-located Waste Site	S. The ext	ent of

SAM	LLARY FACILITIES REMOVAL PLING DETERMINATION FORM	
Summary of in-process soil sampling rec	quirements:	
Constituents detected / concentrations / Consult Sample Collection Summary bel	rationale ow.	<u> </u>
French Drain Soil: Sample (HEIS) Numberench Drain Insulation: Sample (HEIS) I Chemical Transfer Line Soil: Sample (HEChemical Transfer Line Water: Sample (HE20-N-7: Sample (HEIS) Numbers J1775 Jeutralization Vault Water: Sample (HEIS) leutralization Vault Sludge: Sample (HE63N Footing Concrete Stain: Sample (HE63N Footing Soil Stain: Sample (HEIS)	sample numbers) and Appendix D (for sample ers J11K52, J11K53, J11K54, and J11KD9 (C Numbers J11KD7 and J11KD8 (CCN 143099 Attachmen HEIS) Numbers J16383 (CCN 143099 Attachmen HEIS) Numbers J16385 and J16386 (CCN 1430954, J17T55, J17T56, and J17T57 (CCN 1430955) Number J13VN7 (Work Package 2005 09 2018) Number J13VN8 (Work Package 2005 09 2018) Number J14BJ5 (Work Package 2005 09 Number J14BJ7 (Work Package 2005 09 20 00 Number J14BJ7 (Work Package 2005 09 20 00 00 00 00 00 00 00 00 00 00 00 00	CN 143099 Attachment 2) Attachment 2) t 2) 0999 Attachment 2) 9 pg. 5) 0 001 D Attachment 7.4 D) 20 001 D Attachment 7.4 D)
H. NOTES / ADDITIONAL INFORMATION	ON	
Check here if additional information / c	data / maps / sketches are attached to this form	n.
f checked, list the attachment(s):		
SAMPLING		
A CONTRACTOR OF THE PARTY OF TH		
coils meet cleanup standards?	e that remaining structure or below-grade	⊠ Yes ☐ No
Based on the above information it was de lemonstrate that cleanup criteria have be	etermined that sampling: Will Will not been met.	e required in order to
he individual below acknowledges that the rovide to the Department of Energy (DOI formation that could alter the sampling d	he review of this facility has been completed. F E) and the Washington State Department of Ed decision established in this form.	de or she also commits to cology (Ecology) any available
formation Reviewer Signature	Printed Name	Date
David Warre	David Warren	2.8.12
e regulatory representative below agreed d supports implementation of that decision	es with the decision outlined in section I of this ion based on the information currently available	form for the indicated facility e.
OE Signeture	Printed Name	Date
10/1/	RF Guercia	1/26/12
		1/2//2
ology Signature	Printed Name	Date / /